

FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 3C

```

<?xml version="1.0" standalone="yes"?>

402  <!DOCTYPE rootreport [
404  <!--ELEMENT rootreport (toolreport+)-->
406  <!--ELEMENT testarea (testarea+, toolname, tooldescription,
    <!--ELEMENT toolname (#PCDATA)-->
    <!--ELEMENT tooldescription (#PCDATA)-->
    <!--ELEMENT toolreportcustom (#PCDATA)-->
    <!--ELEMENT toolreportcustom (#PCDATA)-->
    <!--ELEMENT toolreportcustom key CDATA #REQUIRED-->
    <!--ELEMENT datastamp (#PCDATA)-->
    <!--ELEMENT author (#PCDATA)-->
    <!--ELEMENT executioner (#PCDATA)-->
    <!--ELEMENT executiontime (#PCDATA)-->
412  <!--ELEMENT testcase (testcasecustom*, description, result, bugid*,
    notes?, testcase*)-->
    <!--ELEMENT testcasecustom (#PCDATA)-->
    <!--ELEMENT testcasecustom key CDATA #REQUIRED-->
    <!--ELEMENT description (#PCDATA)-->
    <!--ELEMENT result (#PCDATA)-->
    <!--ELEMENT bugid (#PCDATA)-->
    <!--ELEMENT notes (#PCDATA)-->
408  <!--ELEMENT systeminfo (javaversion, osname, osversion, i18n, ipaddress?,
    vmflags*, osmode?, systeminfocustom*)-->
    <!--ELEMENT javaversion (#PCDATA)-->
    <!--ELEMENT osname (#PCDATA)-->
    <!--ELEMENT osversion (#PCDATA)-->
    <!--ELEMENT ipaddress (#PCDATA)-->
    <!--ELEMENT vmflags (#PCDATA)-->
    <!--ELEMENT osmode (#PCDATA)-->
    <!--ELEMENT systeminfocustom (#PCDATA)-->
    <!--ELEMENT systeminfocustom key CDATA #REQUIRED-->
    <!--ELEMENT i18n (locale, timezone?, language, encoding?,
    i18ncustom*)-->
    <!--ELEMENT locale (#PCDATA)-->
    <!--ELEMENT timezone (#PCDATA)-->
    <!--ELEMENT language (#PCDATA)-->
    <!--ELEMENT encoding (#PCDATA)-->
    <!--ELEMENT i18ncustom (#PCDATA)-->
    <!--ELEMENT i18ncustom Key CDATA #REQUIRED-->
  ]>

```

FIG. 5




FIG. 6




FIG. 7

```

      <?xml  Version= "1.0?">
802a  <rootreport>
804a  <toolreport>
      <testarea>I18N</testarea>
      <restarea>AWT</testarea>
806a  <testarea>Swing</testarea> 806b
      <toolname>Ugly Stick</tooldescription>
408   <systeminfo>
      <javaversion>Merlin B19</javaversion>
      <osname>SunOS</osname>
      <osversion>2.8</osversion>
      <i18n>
      <locale>US</locale>
      <timezone>US/Pacific</timezone>
      <language>en</language>
      <encoding>UTF-8</encoding>
      </i18n>
      <ipaddress>129.145.160.72</ipaddress>
      </systeminfo>
412   <testcase>
      <testcasecustom key= "yikes">hello</testcasecustom>
      <description>none</description>
      <result>FAIL</result>
      <bugid>398434</bugid>
      <notes>This is rad</notes>
      </testcase>
      <timestamp>Fri Nov 02 10:06:13 PST 2001</timestamp>
      <executiontime>0:0:2</executiontime>
804b  </toolreport>
802b  </rootreport>

```

FIG. 9